

English
Company stamp

Date


User name

Responsible




Wheelchair measures

- Seat width (LS) 33 36 39 42 45
The seat width is measured from the outer sides of the frame, while the distance between the two side guards is 1.5 cm wider.
- Seat depth (PS) 35 37,5 40 42,5 45 47,5
The seat depth is the distance between the backrest tube and the front end of the seat cloth
- Footplate distance (DP) (Real distance between seat and footplate)
IMPORTANT NOTICE! From the footplate to the floor minimum 4cm.!! (Minimum Front height = DP + 4cm.)
- Setting Standard Prudential Active
- Backrest Height (TS) Std.Value 33,5(min 24.5-max 47)
- camber 0° 2° 4°
- Front height (STD 49) - Rear height (STD 42)






- ☆ Aluminium footplate, with titanium tubes - rake and depth adjustable
Minimum footplate distance 35cm.
- ☆ Internal 2/3 Internal
- External 2/3 External
- One piece Carbon fibre footplate. Rake not adjustable
Minimum footplate distance 35cm.



Front frame

- ☆ Aluminium standard frame

Aluminium frame





Colour aluminium frame


- ☆ Bright silver
- Polished black
- Opaque black
- Bright blue
- Bright anthracite
- Bright orange
- Bright fuchsia
- Bright red
- Bright lime
- Bright blue china
- Pearl white

Carbon fibre frame

- Carbon fibre frame



Weight reduction approx. 500gr.




03347

Backrest with rake adjustable from -4° to +16°

- ☆ Aluminium backrest
- Titanium backrest
- Carbon fibre backrest

Weight reduction approx. 130gr.




- **AIR - Posture backrest - Lateral retaining STANDARD 6,5cm**


not available for seat width 48 - Std. Backrest upholstery not provided - Handle tube aluminium with short tubes

- Carbon shell H25 - Height 29 30,5 32 33,5 35 36,5
- Carbon shell H33 - Height 37 38,5 40 41,5 43 44,5


AIR Cover STANDARD
fabric insert: colour silver



AIR Cover SPORT
fabric insert: colour black



AIR Cover ACTIVE
fabric insert: colour








Transpiring fabric stitchings
Fabric insert stitchings
colour grey

- Transpiring fabric stitchings
Fabric insert stitchings
- Silver Lime Orange Red
 - Fuchsia Blue Anthracite Black

Fabric insert stitchings
colour black

Fabric insert stitchings
colour grey

English

Date	Order	User name	Address
<input type="radio"/> Carbon rigid seat			
<input type="radio"/> Pocket (under seat) [25x11x4,5]			
Handle tube			
<input checked="" type="radio"/> Handle tube with short tubes			
<input type="checkbox"/> Handle tube SPORT Without push handles			
<input type="radio"/> Carbon fibre handle (with short tubes)		Weight reduction approx. 110gr.	
Not available with: Posture backrest PHYSIO - Posture backrest A I R			
<input type="radio"/> Folding handles aluminium			
08336 08281 04390 02958			
Casters			
<input checked="" type="radio"/> 4" Active Sport (narrow) (Aluminium alloy rim)			
<input type="checkbox"/> 4" Soft <input type="checkbox"/> 3" Sport <input type="checkbox"/> 5" Soft <input type="checkbox"/> 3" Active Soft (wide) (Aluminium alloy rim) <input type="checkbox"/> 4" Active Soft (wide) (Aluminium alloy rim) <input type="checkbox"/> 5" Active Soft (wide) (Aluminium alloy rim)			
Support front fork			
<input checked="" type="radio"/> Front fork support V Design			
<input type="checkbox"/> Front fork support with integrated spirit level			
 			
Special Options 2013			
<input type="radio"/> Front fork FROG LEGS		(colour: black)	
			
06426			
Colour set: Rear wheels and forks - To be matched only with:Rear wheels Ultra-light Progeo - Standard! (22 - 24)			
<input checked="" type="radio"/> Polished black 22" 24" 25" 26"			
<input type="radio"/> Bright silver 22" 24" 00833 <input type="radio"/> Bright anthracite 24" 00833 <input type="radio"/> Bright orange 22" 24" 00833 <input type="radio"/> Bright fuchsia 22" 24" 00833 <input type="radio"/> Bright blue 22" 24" 00833 <input type="radio"/> Bright red 22" 24" 00833 <input type="radio"/> Bright lime 22" 24" 00833 <input type="radio"/> Pearl white 24" 00833			
Rear wheels			
<input checked="" type="radio"/> 24" Ultra-light Progeo - Standard!			
<input type="checkbox"/> 22" Ultra-light Progeo - Standard! <input type="checkbox"/> 25" Ultra-light Progeo - Standard! <input type="checkbox"/> 26" Progeo - Standard!			
<input type="radio"/> 24" ULTRA-LIGHT PROGEO KEY SPORT		Weight reduction approx. 450gr.	
<input type="radio"/> 24" Ultra-light "Spinergy LX"		04383	
<input type="radio"/> 24" Ultra-light "Spinergy LXL"		01685	
<input type="radio"/> 24" Ultra-light "Spinergy Flex rim"		<input type="checkbox"/> Black hub and white blade spokes <input type="checkbox"/> Hub and blade spokes black	
<input type="radio"/> 25" Ultra-light "Spinergy LX"		07846	
<input type="radio"/> 25" Ultra-light "Spinergy LXL"		02270	
<input type="radio"/> 26" Ultra-light "Spinergy LX"		02101	
<input type="radio"/> 24" Off-road		07847	
<input type="radio"/> 24" Off-road		02102	
<input type="radio"/> 24" Off-road		01392	
Rear wheel tyre			
<input checked="" type="radio"/> High pressure tyre (22"-24"-25"-26")			
<input type="checkbox"/> High pressure profile tyre (24")			
<input type="radio"/> Marathon Plus		(24"-25") with anti-puncture protection	
<input type="radio"/> Kik tyre Mako - Colour Black		01669	
<input type="radio"/> Kik tyre Mako - Colour Grey		(24") 01041	
<input type="radio"/> Kik tyre Mako - Colour Grey		(24") 01751	

Rehateam s.r.l. Vicolo Negrelli, 4 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.484661 / +39.0422.484684
 P.IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr. Trib. TV n.41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

English







Date Order User name Address

Handrim - Wheel distance

★ 3 cm □ 4 cm

- ★ Aluminium (22"-24"-25"-26")
- Chromed Steel (24"-25") (Not available with Spinergy) 01684
- Titanium (24"-25") 00016
- Ultra Grepp (24"-25") 00017
- Max Grepp (24"-25") 00834
- Ergo Para (24") 00632
- SURGE LT (24"-25") Oval countour with a rubber insert 06427
- Quad (24") (24") 00693
- Silicon cover for standard aluminium handrim Available for measures (22"-24"-25"-26") 04050



Wheel locks

- ★ Bent lever push to lock 
- Straight lever Push to lock 
- Straight lever Pull to lock 
- Sport brake OUT-FRONT  06428
- Brake with extension lever push to lock  01949
- Brake with extension lever pull to lock  03372





Mudguard

- ★ Carbon fibre mudguard
- Removable carbon fibre mudguard 04109
- Version Straight sideguard

Armrests

- Swing away armrests (Swing away, removable and height adjustable armrest)  00694
- ★ Pad STANDARD
- Ergonomic pad (30x6 cm.)  04104

Optional

- Transit wheels Exclude the installation of Anti-tippers  03290
- Anti-tipper with rapid hookup Exclude the installation of Transit wheels (inside rotation to reduce the encumbrance) 
 - Right 00023
 - Left 00024
- Push handles for companion (Removable and height adjustable)  03645
- Pad for front frame protectors 07058
- Tetraclip (Quick release axle for quadriplegic) 03947
- Safety pelvic belt 03972
- Lumbar support (to insert in the backrest upholstery) 00013
- Swing away lateral support 
 - Right 02097
 - Left 02098
- Not available with:
Posture backrest PHYSIO - Posture backrest A I R
- Spoke guards Black (22"-24") 01043
- Spoke guards Transparent (22"-24") 00835
- Spoke guards Progeo design (22"-24") 00019
- Spoke guards Dragon (22"-24") 02106


Additional Kit

- 24" Off-road rear wheels (only with aluminium handrim) 03378

Date Order English User name Address

PHYSIO - Posture backrest

Std. Backrest upholstery not provided

Aluminum shell
Lateral retaining STANDARD 7,5cm  Height 25 33 41 05308
Height 52 05309
Lateral retaining wing A=high B=low

Aluminum shell
Lateral retaining DEEP 15cm  Height 25 33 41 05310
H25 not available for seat width 39-42-45
Height 52 05311
Lateral retaining wing A=high B=low

Carbon shell
Lateral retaining STANDARD 7,5cm  Height 25 33 41 05312
Lateral retaining wing A=high B=low

COVER

☆ Cover with fabric-cover of backrest's rear side and high refraction fabric hems



SWING AWAY - Lateral support
 Large (17,5x11,5) Right **05646** Left **05647**
 Small (14x9,5) Right **05642** Left **05643**

Not available with Physio backrest with lateral retaining DEEP and in carbon backrest
Not available with Posture backrest A I R






Headrest adjustable - Double ball mounting system Large (34x14) **05648**
Not available for Physio backrest's height 25 and with carbon shell
Not available with Posture backrest A I R Small (28x14) 

Rehateam s.r.l. Vicolo Negrilli, 4 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.480387 - Fax +39.0422.484661 / +39.0422.484684
P.IVA IT 03182520266 - C.C.I.A.A. TV n.41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

Enclosure to wheelchair order form Joker Evolution

REFERENCE TABLES

1	Front height			
With closed frame (95°) max 5" caster With closed frame (90°) max 5" caster With closed frame (85°) max 4" caster				
FORK	Casters			
	3"	4"	5"	6"
SPORT 	max 52	max 53	max 54	-
SMALL 	max 54	max 55	max 56	-
MEDIUM 	max 56	max 57	max 58	-
The size of the fork will be defined only by Rehateam Progeo in accordance with wheelchair final configuration.				

2	Rear height			
Rear wheels				
	22"	24"	25"	26"
min. 35	min. 37	min. 38	min. 39	
max 45	max 47	max 48	max 49	

3	Footplate option	Footplate distance
	Aluminium footplate, with titanium tubes - rake and depth adjustable	min. 35
	One piece Carbon fibre footplate. Rake not adjustable	min. 35
IMPORTANT NOTICE! From the footplate to the floor minimum 4cm.!! (Minimum Front height = DP + 4cm.) Calculated with the best configuration and with the footplates positioned on inside. NOTE! Lower footplate distances are possible only after our valuation		

4	Rear wheels	
	Model	Features
	22" Ultra-light Progeo - Standard!	(not available in anthracite color)
	24" Ultra-light Progeo - Standard!	(available for all colours)
	24" ULTRA-LIGHT PROGEO KEY SPORT	(silver hub, black rim and 16 spokes)
	24" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	24" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white blade spokes) - (black hub, rim and 18 spokes)
	24" Ultra-light "Spinergy Flex rim"	(silver hub, black rim and spokes) - (integrated aluminium/rubber handrim - encumbrance reduction up to 3cm. - all tyre)
	24" Off-road	(colour: black) - (aluminium handrim - tyre Off-road)
	25" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	25" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white blade spokes)
	26" Progeo - Standard!	(colour: black)
	26" Ultra-light "Spinergy LX"	(silver hub, black rim and 18 spokes)