Order Form - Progeo CARBOMAX

Date .....

User .....

End user wheight (kg) .....

Language user manual .....

Progeo (English)

Company stamp

Responsible .....

Rigid frame wheelchair

Carbon fibre frame

Wheelchair measures - The tolerance on all the dimensions indicated and/or required is ± 10 mm

Seat width (LS) ☐ 33 ☐ 36 ☐ 39 ☐ 42 ☐ 45 ☐ 48

The seat width is measured from the outer sides of the frame, while the distance between the two side guards is 1 cm wider.

Seat depth (PS) ☐ 35 ☐ 37,5 ☐ 40 ☐ 42,5 ☐ 45 ☐ 47,5 ☐ 50

The real seat depth, from the front part of the seat cloth to the backrest tube will be 1,5 cm more than the declared one.

Footplate distance (DP) …… (cm) ±0.5cm - adjustment steps 1.5cm

(Real distance between seat and footplate) - IMPORTANT NOTICE! From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm)


Setting ☆ Standard ☐ Prudential ☐ Active ☐ Extreme

Backrest Height (TS) Std.Value 33,5 .....(min 26-max 47) adjustment steps 1.5cm

camber ☆ 0° ☐ 2° ☐ 4°

Front height STD 49 ..... Rear height STD 42 .....

24" Rear wheel (min 38-max 46)
25" Rear wheel (min 39-max 47)
26" Rear wheel (min 40-max 48)



☆ Version mudguard (Available only with rear wheels 24")

☐ Version straight sideguard

Seat

☆ Seat cloth with pocket (under seat)

○ Seat with tension straps **08883**

○ Carbon rigid seat **08336**
○ Pocket (under seat) [25x11x4,5] **08281**

STYLE


☆ CARBON Essence

○ ALA ROSSA **07947**

○ ALA BIANCA **07948**

Footplate

☆ Carbon fibre footplate - adjustable distance +/- 1,5cm. SPECIAL FLIP-UP! **11530**



Minimum footplate distance 35cm.
IMPORTANT NOTICE! From the footplate to the floor minimum 6cm !! (Minimum Front height = DP + 4cm)

Backrest adjustment and fixing system

☆ Backrest with double locking (upright and folded) **with rake adjustable from -4° to +16°**
☐ Backrest with upright locking system ONLY (no locking when folded) **with rake adjustable from -4° to +16°**
☐ Fixed back(non-folding back) **with rake adjustable from -4° to +16°**

Order Form - Progeo CARBOMAX

Date ..... Order ..... User ..... Address .....

Backrest


☆ Adjustable velcro straps and padded transpiring upholstery

☆ Aluminium backrest 

○ Titanium backrest  **06811**

○ Carbon fibre backrest  **04389**

○ AIR **Integrated posture backrest (NOT REMOVABLE)**
Carbon shell - Lateral retaining 7,5cm
Depth adjustment ±1cm. - Angle adjustment ±10°
not available for seat width 48

H 28		H 34		H 40	
Backrest Height (TS) min 34 (.....)		Backrest Height (TS) min 38 (.....)		Backrest Height (TS) min 44 (.....)	
Lateral retaining wing A=high - R=regular					
A	**R**	**A**	**R**	**A**	**R**
					
☐	☐	☐	☐	☐	☐

Installation on:

☆ Backrest tubes 

☐ Aluminium backrest 

○ Titanium backrest  **06811**

○ Carbon fibre backrest  **04389**

Handle tube

☆ Tubes with standard handle

☐ Tubes with short handle
☐ SPORT tubes Without push handles

○ Carbon fibre tubes with short handle **(Lightest configuration)** **04390**
Not available with: Posture backrest PHYSIO - Posture backrest A I R

○ Folding handles **Minimum backrest height 30,5cm**  **02958**

Casters

☆ 4" Soft

☐ 3" Sport **(Lightest configuration)**
☐ 5" Soft

○ 3" Active Soft (wide) **(Aluminium alloy rim)** **06824**
○ 4" Active Sport (narrow) **(Aluminium alloy rim)** **01398**
○ 4" Active Soft (wide) **(Aluminium alloy rim)** **03943**
○ 5" Active Soft (wide) **(Aluminium alloy rim)** **07518**
○ 5" Pneumatic **10844**

Rear wheels

Available with : VERSION MUDGUARD - VERSION STRAIGHT SIDEGUARD

☆ 24" Ultra-light Progeo - Standard!

○ 24" ULTRA-LIGHT PROGEO KEY SPORT **(Lightest configuration)** **04383**

○ 24" Ultra-light "Spinergy LX" **01685**
○ 24" Ultra-light "Spinergy LXL" ☐ Black hub and white spokes ☐ Hub and spokes black **07846**
○ 24" Ultra-light "Spinergy Flex rim" **Integrated aluminium/rubber handrim** **02270**
○ 24" Off-road (aluminium handrim black) **01392**

Available only with: VERSION STRAIGHT SIDEGUARD

☐ 22" Ultra-light Progeo - Standard!
☐ 25" Ultra-light Progeo - Standard! **(colour: black)**
☐ 26" Progeo - Standard! **(colour: black)**

○ 25" Ultra-light "Spinergy LX" **02101**
○ 25" Ultra-light "Spinergy LXL" ☐ Black hub and white spokes **07847**

○ 26" Ultra-light "Spinergy LX" **02102**

Order Form - Progeo CARBOMAX

Date ..... Order ..... User ..... Address .....

Rear wheel tyre

☆ High pressure tyre	(22"-24"-25"-26")	**(Lightest configuration)**	
☐ High pressure profile tyre	(24")		
○ Marathon Plus	(24"-25")	**with anti-puncture protection**	**01669**
○ Anti-puncture - Colour Grey	(22")		**04181**
○ Anti-puncture - Colour Black	(24")		**11083**

Not available with Rear wheels : 24" ULTRA-LIGHT PROGEO KEY SPORT, 24" Ultra-light "Spinergy LXL"

Handrim	**Wheel distance ☆ 3 cm**	**☐ 4 cm**	
☆ Aluminium	(22"-24"-25"-26")	**(Lightest configuration)**	
○ Aluminium black SOFT-TOUCH	(24"-25")	**(24" handrim, on 25" wheel is installed with spacers)**	**09170**
○ Chromed Steel	(24"-25")	**(24" handrim, on 25" wheel is installed with spacers)**	**01684**
○ Titanium	(24"-25")	**(24" handrim, on 25" wheel is installed with spacers)**	**00016**
○ Ultra Grepp	(24"-25")	**(24" handrim, on 25" wheel is installed with spacers)**	**00017**
○ Max Grepp	(24"-25")	**(24" handrim, on 25" wheel is installed with spacers)**	**00834**
○ Ergo Para	(24")		**00632**
○ TOP FRICTION **Oval countour with a rubber insert**	(24"-25")	**(24" handrim, on 25" wheel is installed with spacers)**	**11023**
○ NOVA H **Ergonomic black profile**	(24"-25")	**(24" handrim, on 25" wheel is installed with spacers)**	**11025**
○ NOVA D **Ergonomic profile with rubber coating (ideal for quadriplegics)**	(24"-25")	**(24" handrim, on 25" wheel is installed with spacers)**	**11026**
○ SURGE LT	(25")	**Oval countour with a rubber insert**	**06427**
○ Quad	(24")		**00693**
○ Silicon cover for standard aluminium handrim		**Available for measures (22"- 24" - 26")**	**04050**

Wheel locks

☆ Bent lever push to lock		
☐ Straight lever push to lock ☐ Straight lever pull to lock		
○ Sport brake		**06428**
○ Brake with extension lever push to lock		**01949**
○ Brake with extension lever pull to lock		**03372**

Armrests

Tubolar armrests	**(Swing away, removable and height adjustable armrest)**		**00694**

Accessories

○ Pad for front frame protectors	**07058**
○ Backrest-seat connection cloth	**10241**
○ Removable storage bag (with quick coupling)	**09811**

Optional 1

Only one optional devices for side can be chosen

○ Transit wheels			**03290**
○ Anti-tipper with rapid hookup	**(inside rotation to reduce the encumbrance)**		
	○ Right		**06821**
	○ Left		**06822**

Optional 2

○ Safety pelvic belt	**03972**
○ Harness	**04103**

Order Form - Progeo CARBOMAX

Date ..... Order ..... User ..... Address .....

Optional 2

○ Lumbar support	**(to insert in the backrest upholstery)**	**00013**
○ Tetraclip	**(Quick release axle for quadriplegic)**	**03947**

Additional Kit


○ 24" Off-road rear wheels	**Off-Road tyre - aluminium handrim (black colour)**	**03378**
○ 24" FAT rear wheels	**FAT tyre 3" - aluminium handrim (black colour)**	**09357**

PHYSIO - Posture backrest
(Std. Backrest upholstery not provided)

Removable with quick release
Suitable for tubes with diameter 18÷26mm
Depth adjustment (4cm)
Angle adjustment (±18°)

○ AIR Carbon shell

not available for seat width 48

BACKREST HEIGHT	28		34		40	
Shell's shape	Lateral retaining wing A=high - R=regular					
	A	R	A	R	A	R
7,5 cm 	 ☐	 ☐	 ☐	 ☐	 ☐	 ☐

○ POSTURE Aluminum shell

BACKREST HEIGHT	34	40	52
Shell's shape	Lateral retaining wing B=regular		
	R	R	R
7,5 cm 	☐ 	☐ 	☐ 

Configuration DEEP with side support PAD (height adjustable)

○ Alluminum lateral with padded, breathable upholdstery.

15 cm 

Small (h 13cm)



☐ Right **10272**

☐ Left **10272**

Large (h 20cm)




☐ Right **10273**

☐ Left **10273**

SWING AWAY - Lateral support

Fixing and adjustment hardware complete with protection sleeve
Alluminum lateral with padded, breathable upholdstery.



○ Large (18x12) **05647**

○ Small (14x9) **05643**

○ Lateral support extension — Quantity (number pcs)…..... **10271**

○ Lateral support extension — Quantity (number pcs)….....

○ Small (14x9) **05642**

○ Large (18x12) **05646**

Order Form - Progeo CARBOMAX

Date Order User Address

○ Headrest adjustable - Double ball mounting system

Available only with backrest Physio

Not available for backrest Physio AIR carbon shell



☐ Large (34x14) **05648**

☐ Small (28x14)

Wheelchair : Progeo CARBOMAX - Rev. 2023.3	Prices - VAT excluded to be added to the price list

Send this page only if any optional have been chosen

☆	standard	(supplied if no requests are indicated)
☐	on request	(without extra charge)
○	optional	(cost to be added at the basic price)

Date ..... Order ..... User ..... Address .....

12" wheel - Motor 250W (750W maximum power)
14" wheel - Motor 1000W (1500W maximum power)



Color display with switcher
Maximum speed limit settable from display
5 speed levels selectable
10 display-selectable acceleration levels
Adaptive Cruise Control

Disc and electronic brake control lever
Motor brake (adjustable in 10 levels from the display)
Electronic brake with control bottom (adjustable in 10 levels from the display)
Power regain when braking

Error messages management from display (with error history)
Rear gear beeper
48V - 5.8 Ah battery Autonomy up to 25km
48V - 11.6 Ah Power plus battery Autonomy up to 50km
Battery charger 48V


Rear gear
USB port
Easle
Mudguard
Front spoiler with predisposition for FULL LED light

(Certified software)

○ **Mototronik** **10979**

Handlebar

☆ STANDARD controls




☆ Thumb accelerator and Disc and electronic brake control lever (Right)

○ Grip throttle and Disc and electronic brake control lever
○ Right **10913**
○ Left **10914**




○ **QUADRIPLEGIC controls** **10905**
Handlebar PUSH&PULL

☆ **MOTOTRONIK 12" wheel**
Motor 250W (750W maximum power)
Maximum speed according to law



○ **MOTOTRONIK 14" wheel** **10903**
Motor 1000W (1500W maximum power)
Maximum speed according to law



Battery





☆ 48V - 5.8 Ah battery *Autonomy up to 25 km*

○ 48V - 11.6 Ah Power plus battery *Autonomy up to 50 km* **10904**

Order Form - Progeo CARBOMAX

Date ..... Order ..... User ..... Address .....

Accessories

○ Handlebar extension Adjustable from 15cm up to 23cm			**10907**
○ Motor unit facilitated unlock lever Recommended with handlebar for quadriplegic			**10915**
○ Additional FLY 48V - 2.9 Ah battery Autonomy up to 15km Approved for air transport			**10906**
○ FULL LED light (high intensity) Integrated in the spoiler			**10908**
○ Rearview mirror	○ Right ○ Left		**10909** **10909**
○ Basket (removable) - (with KLICKfix® attachment system)			**10912**
○ Removable front weight - (with KLICKfix® attachment system) (it increases the weight over the power wheel to improve traction)			**10910**
○ Travel bag			**10916**

Note

Wheelchair : Progeo CARBOMAX - Rev. 2023.3	**Prices - VAT excluded** to be added to the price list	**Send this page only if any optional have been chosen** ☆ standard (supplied if no requests are indicated) ☐ on request (without extra charge) ○ optional (cost to be added at the basic price)