












Date .....	Progeo (English)	
User .....	Company stamp	<b>Rigid frame wheelchair CRASH TEST APPROVED</b>
End user wheight (kg) .....		
Language user manual .....	Responsible .....	

<b>Wheelchair measures - The tolerance on all the dimensions indicated and/or required is ± 10 mm</b>			
Seat width (LS)	<input type="checkbox"/> 33	<input type="checkbox"/> 36	<input type="checkbox"/> 39
	<input type="checkbox"/> 42	<input type="checkbox"/> 45	<input type="checkbox"/> 48
The seat width is measured from the outer sides of the frame			
Seat depth (PS)	<input type="checkbox"/> 35	<input type="checkbox"/> 37,5	<input type="checkbox"/> 40
	<input type="checkbox"/> 42,5	<input type="checkbox"/> 45	<input type="checkbox"/> 47,5
The real seat depth, from the front part of the seat cloth to the backrest tube will be 1,5 cm more than the declared one.			
Footplate distance (DP)	..... (cm) ±0.5cm - adjustment steps 1.5cm		
<b>(Real distance between seat and footplate) - IMPORTANT NOTICE! From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm)</b>			
Setting	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Prudential	<input type="checkbox"/> Active
		<input type="checkbox"/> Extreme	
Backrest Height (TS)	Std. Value 33,5 .....(min 26-max 47) adjustment steps 1.5cm		
camber	<input checked="" type="checkbox"/> 0°	<input type="checkbox"/> 2°	<input type="checkbox"/> 4°
Front height STD 49	.....	Rear height STD 42	.....

	<p>☆ Aluminum rear adjustment plate</p> <p>☆ Removable mudguard ABS</p> <p><input type="checkbox"/> Removable ABS fibre straight sideguard</p> <p><input type="checkbox"/> Removable carbon fibre mudguard</p> <p><input type="checkbox"/> Removable Carbon fibre straight sideguard</p>	<p>03946</p> <p>08918</p>
	<p>○ FULL CARBON rear adjustment plate with integrated sideguard</p> <p>☆ Version mudguard (Available only with rear wheels 24")</p>	<p>07646</p>

<b>JOKER</b>		<p>☆ Aluminium footplate, rake adjustable</p> <p><b>Minimum footplate distance 35cm.</b></p> <p>☆ Internal <input type="checkbox"/> 2/3 Internal</p> <p><input type="checkbox"/> External <input type="checkbox"/> 2/3 External</p>	<p> 11523</p>
		<p><input type="checkbox"/> Aluminium footplate EVOLUTION - rake and depth adjustable</p> <p><b>Minimum footplate distance 35cm.</b></p> <p>☆ Internal <input type="checkbox"/> 2/3 Internal</p> <p><input type="checkbox"/> External <input type="checkbox"/> 2/3 External</p>	<p> 07649</p>
		<p><input type="checkbox"/> One piece Carbon fibre footplate, rake adjustable</p> <p><b>Minimum footplate distance 35cm.</b></p> <p>☆ Internal <input type="checkbox"/> External</p>	<p> 03346</p>

<b>JOKER ZERO</b>		<p><input type="checkbox"/> Plastic footrest, rake adjustable</p> <p><b>Minimum footplate distance 15cm.</b></p> <p>☆ 2/3 Internal <input type="checkbox"/> 2/3 External</p>	<p> 06814</p>
		<p><input type="checkbox"/> One piece aluminium footplate - Flip-up!, rake and depth adjustable</p> <p><b>Minimum footplate distance 15cm.</b></p> <p>☆ Internal <input type="checkbox"/> 2/3 Internal</p> <p><input type="checkbox"/> External <input type="checkbox"/> 2/3 External</p>	<p> 06856</p>
		<p><input type="checkbox"/> One piece Carbon fibre footplate rake adjustable, swing away, flip-up.</p> <p><b>Minimum footplate distance 15cm.</b></p> <p>☆ Internal <input type="checkbox"/> External</p>	<p> 06857</p>
		<p><input type="checkbox"/> One piece aluminium footplate - Flip-up! FLIP-BACK! - rake and depth adjustable</p> <p><b>WITHOUT rigidizer bar</b></p> <p>(max 5" caster)</p> <p><b>IMPORTANT NOTICE! From the footplate to the floor minimum 6cm !! (Minimum Front height = DP + 4cm)</b></p> <p>With 5" front wheel the difference between Front Height and Rear Height must be greater than 5cm</p>	<p> 09420</p>

Date ..... Order ..... User ..... Address .....

**Front frame**

☆ Aluminium standard frame

☆

(max 4" caster)

**Frame colour**

**Frame colour (without extra charge)**

☆ Opaque black       POLAR white       Matt orange

Tekno anthracite       Matt Midnight blue       Matt grey       Matt red

**Frame colour on request**

Bright silver       Bright fuchsia       Bright blue china      12579

Bright blue       Bright lime       Bright red

**Seat**

☆ Seat cloth with pocket (under seat)

Seat with tension straps      08883

Carbon rigid seat      08336

Pocket (under seat) [25x11x4,5]      08281

**Rear wheels axle**

☆ Aluminum rear wheels axle

Carbon fiber rear wheels axle      *Lightest configuration*      07647

**Backrest adjustment and fixing system**

☆ Backrest with double locking (upright and folded) with rake adjustable from -4° to +16°

Backrest with upright locking system ONLY (no locking when folded) with rake adjustable from -4° to +16°

Fixed back(non-folding back) with rake adjustable from -4° to +16°

**Backrest**

☆ Adjustable velcro straps and padded transpiring upholstery

☆ Aluminium backrest

Titanium backrest      06811

Carbon fibre backrest      04389

**AIR Integrated posture backrest (NOT REMOVABLE)**

Carbon shell - Lateral retaining 7,5cm  
Depth adjustment ±1cm. - Angle adjustment ±10°  
not available for seat width 48

H 28	H 34	H 40			
Backrest Height (TS) min 34 ( ..... )	Backrest Height (TS) min 38 ( ..... )	Backrest Height (TS) min 44 ( ..... )			
Lateral retaining wing A=high - R=regular					
A	R	A	R	A	R
 <input type="checkbox"/>	 <input type="checkbox"/>	 <input type="checkbox"/>	 <input type="checkbox"/>	 <input type="checkbox"/>	 <input type="checkbox"/>

**Installation on:**

☆ Backrest tubes

Aluminium backrest

Titanium backrest      06811

Carbon fibre backrest      04389

Date .....	Order .....	User .....	Address .....
------------	-------------	------------	---------------

**Handle tube**


☆ Tubes with standard handle

Tubes with short handle

SPORT tubes Without push handles

Carbon fibre tubes with short handle *Lightest configuration* 04390

**Not available with: Posture backrest PHYSIO - Posture backrest A I R**

Folding handles **Minimum backrest height 30,5cm**  02958

Not available with: Push handles for companion

**Casters**

☆ 4" Soft

3" Sport *Lightest configuration*

5" Soft

6" Soft (Available only with 100° angle)

6" Pneumatic (Available only with 100° angle)

3" Active Soft (wide) (Aluminium alloy rim) 06824

4" Active Sport (narrow) (Aluminium alloy rim) 01398

4" Active Soft (wide) (Aluminium alloy rim) 03943

5" Active Soft (wide) (Aluminium alloy rim) 07518

5" Pneumatic 10844

**Colour set: includes rear wheel hub and rim and front forks**

Only standard Progeo 22"/24" wheels have coloured hubs and rims

☆ Black 22" 24" 25" 26" 00833

Bright silver 22" 24" 00833

Bright lime 22" 24" 00833

Bright blue 22" 24" 00833

Bright red 22" 24" 00833

Bright fuchsia 22" 24" 00833

POLAR white 22" 24" 00833

Tekno anthracite 22" 24" 00833

Matt Midnight blue 22" 24" 00833

Matt grey 22" 24" 00833

Matt red 22" 24" 00833

**Rear wheels**

☆ 24" Ultra-light Progeo - Standard!

22" Ultra-light Progeo - Standard!

25" Ultra-light Progeo - Standard! (colour: black)

26" Progeo - Standard! (colour: black)

24" ULTRA-LIGHT PROGEO KEY SPORT *Lightest configuration* 04383

24" Ultra-light "Spinergy LX" 01685

24" Ultra-light "Spinergy LXL"  Black hub and white spokes  Hub and spokes black 07846

24" Ultra-light "Spinergy Flex rim" Integrated aluminium/rubber handrim 02270

25" Ultra-light "Spinergy LX" 02101

25" Ultra-light "Spinergy LXL"  Black hub and white spokes 07847

26" Ultra-light "Spinergy LX" 02102

24" Off-road (aluminium handrim black - Wheel distance 4cm) 01392

**Rear wheel tyre**

☆ High pressure tyre (22"-24"-25"-26") *Lightest configuration*

High pressure profile tyre (24")

Marathon Plus (24"-25") with anti-puncture protection 01669

Anti-puncture - Colour Grey (22") 04181

Anti-puncture - Colour Black (24") 11083

**Not available with Rear wheels : 24" ULTRA-LIGHT PROGEO KEY SPORT, 24" Ultra-light "Spinergy LXL"**

Handrim	Wheel distance ☆ 3 cm	□ 4 cm	
☆ Aluminium	(22"-24"-25"-26")	<i>Lightest configuration</i>	
<input type="checkbox"/> Aluminium black SOFT-TOUCH	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	09170
<input type="checkbox"/> Chromed Steel	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	01684
<input type="checkbox"/> Titanium	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	00016
<input type="checkbox"/> Ultra Grepp	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	00017
<input type="checkbox"/> TOP FRICTION	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11023
Oval countour with a rubber insert			
<input type="checkbox"/> NOVA H	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11025
Ergonomic black profile			
<input type="checkbox"/> NOVA D	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11026
Ergonomic profile with rubber coating (ideal for quadriplegics)			
<input type="checkbox"/> Silicon cover for standard aluminium handrim		Available for measures (22"- 24" - 26")	04050

Date .....	Order .....	User .....	Address .....
------------	-------------	------------	---------------

**Wheel locks**

Bent lever push to lock


Straight lever push to lock

Straight lever pull to lock

Sport brake *Lightest configuration*

Brake with extension lever push to lock

Brake with extension lever pull to lock




06428

01949

03372

**Armrests**

Tubular armrests (Swing away, removable and height adjustable armrest)



00694

**Accessories**


Pad for front frame protectors 07058

Backrest-seat connection cloth 10241

Removable storage bag (with quick coupling) 09811

**SAFETY**

4 points tie-down system rings  
(installation must be carried out by the manufacturer)  
A head restraint suitable for transportation must be available and fitted accordingly during transportation.



08654


**Optional 1**

Only one optional devices for side can be chosen

Transit wheels Exclude the installation of Anti-tippers 03290


Anti-tippers - Easy Swing Away - (Non removable) - Exclude the installation of Transit wheels

**Rotatable and lockable 90°**  
It is possible to install anti-tipping on one side only




Right 13162  
 Left 13163

**Rotatable and lockable 90° - 180°**



Right 13164  
 Left 13165

Anti-tipper with rapid hookup  
(inside rotation to reduce the encumbrance) Exclude the installation of Transit wheels

Right 06821  
 Left 06822


**Optional 2**

Push handles for companion (Removable and height adjustable) 03645


Tetracclip (Quick release axle for quadriplegic) 03947

Safety pelvic belt 03972

Harness 04103

Lumbar support (to insert in the backrest upholstery) 00013

Swing away lateral support  
Prevents backrest folding Not available with Posture backrest PHYSIO - Posture backrest A I R

Right 02097  
 Left 02098


Spoke guards Black (22"-24") 01043

Spoke guards Transparent (22"-24") 00835

Spoke guards Progeo design (22"-24") 00019

**Additional Kit**

24" Off-road rear wheels Off-Road tyre - aluminium handrim (black colour) 03378








24" FAT rear wheels FAT tyre 3" - aluminium handrim (black colour) 09357

Date ..... Order ..... User ..... Address .....





**PHYSIO - Posture backrest**  
(Std. Backrest upholstery not provided)

Removable with quick release  
Suitable for tubes with diameter 18+26mm  
Depth adjustment (4cm)  
Angle adjustment (±18°)

- AIR** Carbon shell  
not available for seat width 48

BACKREST HEIGHT	28	34	40			
Shell's shape 	Lateral retaining wing A=high - R=regular					
	A	R	A	R	A	R
						
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

- POSTURE** Aluminum shell

BACKREST HEIGHT	34	40	52
Shell's shape 	Lateral retaining wing R=regular		
	R	R	R
			
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Configuration DEEP with side support PAD (height adjustable)**

Alluminum lateral with padded, breathable upholstery.



Small (h 13cm)



Right  
10272

Left  
10272

Large (h 20cm)




Right  
10273

Left  
10273

**SWING AWAY - Lateral support**

Fixing and adjustment hardware complete with protection sleeve  
Alluminum lateral with padded, breathable upholstery.



Large (18x12)

05647

Small (14x9)

05643

Lateral support extension

Quantity (number pcs) (.....)

10271

Lateral support extension

Quantity (number pcs) (.....)

Small (14x9)

05642

Large (18x12)

05646

- Headrest adjustable - Double ball mounting system

Available only with backrest Physio Posture



- Large (35x12,5)
- Small (25x12,5)




05648

Date .....	Order .....	User .....	Address .....
------------	-------------	------------	---------------

**Note**

<p>Wheelchair : Progeo JOKER - Rev. 2026.0</p>	<p>Prices - VAT excluded to be added to the price list</p>	<p style="text-align: center; font-size: small;"><b>Send this page only if any optional have been chosen</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10px; text-align: center;"><input type="checkbox"/> ☆</td> <td style="padding: 2px;">standard</td> <td style="font-size: x-small; padding-left: 5px;">(supplied if no requests are indicated)</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="padding: 2px;">on request</td> <td style="font-size: x-small; padding-left: 5px;">(without extra charge)</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="padding: 2px;">optional</td> <td style="font-size: x-small; padding-left: 5px;">(cost to be added at the basic price)</td> </tr> </table>	<input type="checkbox"/> ☆	standard	(supplied if no requests are indicated)	<input type="checkbox"/>	on request	(without extra charge)	<input type="checkbox"/>	optional	(cost to be added at the basic price)
<input type="checkbox"/> ☆	standard	(supplied if no requests are indicated)									
<input type="checkbox"/>	on request	(without extra charge)									
<input type="checkbox"/>	optional	(cost to be added at the basic price)									

### REFERENCE TABLES

1		Front height			
With closed frame (95°) max 5" caster					
With closed frame (90°) max 5" caster					
With closed frame (85°) max 4" caster					
FORK		Casters			
		3"	4"	5"	6"
SPORT		max 52	max 53	max 54	
SMALL		max 54	max 55	max 56	max 57
MEDIUM		max 56	max 57	max 58	max 59

The size of the fork will be defined only by Progeo in accordance with wheelchair final configuration.

2		Rear height			
Rear wheels					
22"		24"	25"	26"	
min 36	min 38	min 39	min 40		
max 44	max 46	max 47	max 48		

3	Footplate option	Footplate distance
	Aluminium footplate rake adjustable	min 35
	One piece Carbon fibre footplate	min 35
	One piece Carbon fibre footplate rake adjustable	min 35
	Plastic footrest, rake adjustable	min 35
	One piece aluminium footplate - Flip-up!, rake and depth adjustable	min 35
	One piece Carbon fibre footplate rake adjustable, swing away, flip-up.	min 35
<b>IMPORTANT NOTICE! From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm)</b>		
<b>Calculated with the best configuration and with the footplates positioned on inside.</b>		
<b>NOTE! Lower footplate distances are possible only after our valuation</b>		

4	Rear wheels	
	Model	Features
	22" Ultra-light Progeo - Standard!	(not available in anthracite color)
	24" Ultra-light Progeo - Standard!	(available for all colours)
	24" ULTRA-LIGHT PROGEO KEY SPORT	(silver hub, black rim and 16 spokes)
	24" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	24" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white spokes) - (black hub, rim and 18 spokes)
	24" Ultra-light "Spinergy Flex rim"	(silver hub, black rim and spokes) - (integrated aluminium/rubber handrim - encumbrance reduction up to 3cm. - all tyre)
	24" Off-road	(colour: black) - (aluminium handrim - tyre Off-road)
	25" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	25" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white spokes)
	26" Progeo - Standard!	(colour: black)
	26" Ultra-light "Spinergy LX"	(silver hub, black rim and 18 spokes)

Date	Order	User	Address
------	-------	------	---------

12" wheel - Motor 250W (750W maximum power)  
14" wheel - Motor 1000W (1500W maximum power)

- Color display with switcher
- Maximum speed limit settable from display
- 5 speed levels selectable
- 10 display-selectable acceleration levels
- Adaptive Cruise Control
- Disc and electronic brake control lever
- Motor brake (adjustable in 10 levels from the display)
- Electronic brake with control bottom (adjustable in 10 levels from the display)
- Power regain when braking
- Error messages management from display (with error history)
- Rear gear beeper
- 48V - 5.8 Ah battery Autonomy up to 25km
- 48V - 11.6 Ah Power plus battery Autonomy up to 50km
- Battery charger 48V
- Rear gear
- USB port
- Easle
- Mudguard
- Front spoiler with predisposition for FULL LED light

**(Certified software)**

**Mototronik**

**10979**



**Handlebar**

☆ **STANDARD controls**

☆ Thumb accelerator

☆ Right  
12592

Left  
12593

Grip throttle


Right  
10913

Left  
10914


Disc and electronic brake control lever

☆ Right  
12594

Left  
12595




**QUADRIPLEGIC controls**  
Handlebar PUSH&PULL



**10905**


☆ **MOTOTRONIK 12" wheel**

Motor 250W (750W maximum power)  
Maximum speed according to law



**MOTOTRONIK 14" wheel**

Motor 1000W (1500W maximum power)  
Maximum speed according to law



**10903**

**Battery**

☆ 48V - 5.8 Ah battery

*Autonomy up to 25 km*

48V - 11.6 Ah Power plus battery

*Autonomy up to 50 km*

**10904**

Date ..... Order ..... User ..... Address .....


### Accessories

FULL LED light (high intensity)  
Integrated in the spoiler




10908

Handlebar extension  
Adjustable from 15cm up to 23cm



10907

Motor unit facilitated unlock lever  
Recommended with handlebar for quadriplegic




10915

Additional FLY 48V - 2.9 Ah battery  
Autonomy up to 15km  
Approved for air transport

10906

Rearview mirror

Right  
 Left




10909  
10909

Basket (removable) - (with KLICKfix® attachment system)



10912

Removable front weight - (with KLICKfix® attachment system)  
(it increases the weight over the power wheel to improve traction)



10910

Travel bag

10916


### Note


Send this page only if any optional have been chosen


<input checked="" type="checkbox"/>	standard	(supplied if no requests are indicated)
<input type="checkbox"/>	on request	(without extra charge)
<input type="radio"/>	optional	(cost to be added at the basic price)

Date ..... Order ..... User ..... Address .....


**SMARTDRIVE - including battery charger**



 <p><b>SWITCH CONTROL (DX+SX) - EU</b> Funzionamento a due pulsanti</p>	<input type="radio"/> 6 KM/H	MX2-S002
	<input type="radio"/> 9 KM/H	MX2-S005

 <p><b>SWITCH CONTROL + JACK 3.5 - EU</b> "Mono" female input, allows SmartDrive to be connected to any other control/driving device.</p>	<input type="radio"/> 6 KM/H	MX2-S003
	<input type="radio"/> 9 KM/H	MX2-S006

**Pulsante di comando esterno BUDDY BUTTON**  
completo di adattatore, set di montaggio e braccio di estensione  
*Disponibile solo con SWITCH CONTROL + JACK 3.5*



MX2-BBB

**ATTACHMENT HARDWARE FIX FRAME KIT**  
Choose attachment hardware kit according to the size of the wheelchair's rear wheels




Attachment hardware fix frame kit - rear wheels 22" - 24" MX2-44S-C

Attachment hardware fix frame kit - rear wheels 25" MX2-45S-C


Attachment hardware fix frame kit - rear wheels 26" MX2-46S-C


**SMART WATCH**

Lo SmartDrive può essere comandato e gestito con uno Smart Watch APPLE o GALAXY  
Fast and simple setup  
Increased screen visibility  
Improved battery performance  
Free App from Apple Store and Play Store

<p><u>Lista compatibilita'</u></p> 	<p><b>Smart Watch compatibili</b></p> <p><b>APPLE WATCH</b> serie 5 o successivi con iOS 8 o successivi Apple iPhone</p>	<p><b>Applicazioni gratuite</b></p> <p>SmartDrive MX2+ </p> <p>Pushtracker </p>
	<p><b>GALAXY WATCH</b> serie 4 o successivi Smartphone Samsung Smartphone Android 6.0 e RAM almeno 1.5 GB</p>	

**Accessories**

Carrying bag  MX2SD-BAG

Universal padded handle  
*Universal padded handle*  MX2-986

Wheelchair : Progeo JOKER - Rev. 2026.0	Prices - VAT excluded to be added to the price list	<p align="center"><b>Send this page only if any optional have been chosen</b></p> <input checked="" type="radio"/> standard (supplied if no requests are indicated) <input type="checkbox"/> on request (without extra charge) <input type="radio"/> optional (cost to be added at the basic price)
---	--	---