

Date

Progeo (English)

User

Company stamp

Folding frame wheelchair

End user wheight (kg)

Language user manual

Responsible

Wheelchair measures - The tolerance on all the dimensions indicated and/or required is ± 10 mm

Seat width (LS) ☐ 33 ☐ 36 ☐ 39 ☐ 42 ☐ 45 ☐ 48

The seat width is measured from the outer sides of the frame, while the distance between the two side guards is 1 cm wider.

Seat depth (PS) ☐ 35 ☐ 37,5 ☐ 40 ☐ 42,5 ☐ 45 ☐ 47,5

The real seat depth, from the front part of the seat cloth to the backrest tube will be 1,5 cm more than the declared one.

Footplate distance (DP) (cm) ± 0.5 cm - adjustment steps 1.5cm

(Real distance between seat and footplate) - IMPORTANT NOTICE! From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm)


Setting ☒ Standard ☐ Prudential ☐ Active

Backrest Height (TS) Std.Value 33,5(min 26-max 47) adjustment steps 1.5cm



Backrest rake adjustable from -4° to +12°

camber ☒ 0° ☐ 2°

Carbon fibre frame
Front fork support integrated
Opaque transparent painting


Front height - Tick the box with the required height

The possible difference in height between HIGH frame and LOW frame is 3cm (with same fork, caster and assembly hole).

	 <i>SPORT fork (H95)</i>	 <i>Small size fork (H115)</i>
LOW FRAME 90° Front height (min 44,5 - max 50) Footplate distance (min 36)	Casters 3" <input type="checkbox"/> ~45 <input type="checkbox"/> ~46 4" <input type="checkbox"/> ~46 <input type="checkbox"/> ~47 5" <input type="checkbox"/> ~48,5	Casters 3" <input type="checkbox"/> ~45,5 <input type="checkbox"/> ~47 4" <input type="checkbox"/> ~46,5 <input type="checkbox"/> ~48 <input type="checkbox"/> ~49 5" <input type="checkbox"/> ~49 <input type="checkbox"/> ~50
HIGH FRAME 90° Front height (min 47,5 - max 53) Footplate distance (min 39)	Casters 3" <input type="checkbox"/> ~48 <input type="checkbox"/> ~49 4" <input type="checkbox"/> ~49 <input type="checkbox"/> ~50 5" <input type="checkbox"/> ~51,5	Casters 3" <input type="checkbox"/> ~48,5 <input type="checkbox"/> ~50 4" <input type="checkbox"/> ~49,5 <input type="checkbox"/> ~51 <input type="checkbox"/> ~52 5" <input type="checkbox"/> ~52 <input type="checkbox"/> ~53

The real front-seat height could be slightly different from the chosen one considering it is affected by seat depth and rear seat height.

Rear height

The difference between Font Height and Rear Height must be in the 3 - 12 cm range.

Rear wheels 22" (min 36 - max 44)

Rear wheels 24" (min 38 - max 46)

Rear wheels 25" (min 39 - max 47)

Rear wheels 26" (min 41 - max 48)

Backrest
☒ Adjustable velcro straps and padded transpiring upholstery

Handle tube
☒ Tubes with short handle

☐ SPORT tubes Without push handles

Lightest configuration

☐ Folding handles

Not available with: Push handles for companion



02958

Date	Order	User	Address
------------	-------------	------------	---------------

Casters			
☆ 4" Soft			
<input type="checkbox"/> 3" Sport	<i>Lightest configuration</i>		
<input type="checkbox"/> 5" Soft			
<input type="radio"/> 3" Active Soft (wide)	(Aluminium alloy rim)		06824
<input type="radio"/> 4" Active Sport (narrow)	(Aluminium alloy rim)		01398
<input type="radio"/> 4" Active Soft (wide)	(Aluminium alloy rim)		03943
<input type="radio"/> 5" Active Soft (wide)	(Aluminium alloy rim)		07518
<input type="radio"/> 5" Pneumatic			10844

Special Options			
<input type="radio"/> Rear wheels plate extension			01950
<input type="radio"/> lockingband/strip to close/fold the wheelchair			06833
<input type="radio"/> Drawstring to unlock the back with a singleaction			06834


Colour set: Includes rear wheel hub and rim, rear wheel plates and front forks			
Only standard Progeo 22"/24" wheels have coloured hubs and rims			
☆ Black	22" 24" 25" 26"		
<input type="radio"/> Bright silver	22" 24"		00833
<input type="radio"/> Bright lime	22" 24"		00833
<input type="radio"/> Bright blue	22" 24"		00833
<input type="radio"/> Bright red	22" 24"		00833
<input type="radio"/> Bright fuchsia	22" 24"		00833
<input type="radio"/> Pearl white	22" 24"		00833
<input type="radio"/> Tekno anthracite	22" 24"		00833
<input type="radio"/> Matt Midnight blue	22" 24"		00833
<input type="radio"/> Matt grey	22" 24"		00833
<input type="radio"/> Matt red	22" 24"		00833


Rear wheels			
☆ 24" Ultra-light Progeo - Standard!			
<input type="checkbox"/> 22" Ultra-light Progeo - Standard!	(colour: black)		
<input type="checkbox"/> 25" Ultra-light Progeo - Standard!	(colour: black)		
<input type="checkbox"/> 26" Progeo - Standard!			
<input type="radio"/> 24" ULTRA-LIGHT PROGEO KEY SPORT	<i>Lightest configuration</i>		04383
<input type="radio"/> 24" Ultra-light "Spinergy LX"			01685
<input type="radio"/> 24" Ultra-light "Spinergy LXL"	<input type="checkbox"/> Black hub and white spokes	<input type="checkbox"/> Hub and spokes black	07846
<input type="radio"/> 24" Ultra-light "Spinergy Flex rim"	Integrated aluminium/rubber handrim		02270
<input type="radio"/> 25" Ultra-light "Spinergy LX"			02101
<input type="radio"/> 25" Ultra-light "Spinergy LXL"	<input type="checkbox"/> Black hub and white spokes		07847
<input type="radio"/> 26" Ultra-light "Spinergy LX"			02102
<input type="radio"/> 24" Off-road (aluminium handrim black)			01392


Rear wheel tyre			
☆ High pressure tyre	(22"-24"-25"-26")	<i>Lightest configuration</i>	
<input type="checkbox"/> High pressure profile tyre	(24")		
<input type="radio"/> Marathon Plus	(24"-25")	with anti-puncture protection	01669
<input type="radio"/> Anti-puncture - Colour Black	(24")		11083
Not available with Rear wheels : 24" ULTRA-LIGHT PROGEO KEY SPORT, 24" Ultra-light "Spinergy LXL"			
<input type="radio"/> Anti-puncture - Colour Grey	(22")		04181



Handrim			
Wheel distance ☆ 3 cm			
☆ Aluminium	(22"-24"-25"-26")	<i>Lightest configuration</i>	
<input type="radio"/> Aluminium black SOFT-TOUCH	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	09170
<input type="radio"/> Chromed Steel	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	01684
<input type="radio"/> Titanium	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	00016
<input type="radio"/> Ultra Grepp	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	00017
<input type="radio"/> Max Grepp	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	00834
<input type="radio"/> TOP FRICTION	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11023
Oval countour with a rubber insert			
<input type="radio"/> NOVA H	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11025
Ergonomic black profile			
<input type="radio"/> NOVA D	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11026
Ergonomic profile with rubber coating (ideal for quadriplegics)			
<input type="radio"/> SURGE LT	(25")	Oval countour with a rubber insert	06427
<input type="radio"/> Quad	(24")		00693
<input type="radio"/> Silicon cover for standard aluminium handrim		Available for measures (22"- 24" - 26")	04050


Date	Order	User	Address
------------	-------------	------------	---------------





Wheel locks <input checked="" type="checkbox"/> Bent lever push to lock <input type="checkbox"/> Straight lever push to lock <input type="checkbox"/> Straight lever pull to lock <input type="radio"/> Sport brake <input type="radio"/> Brake with extension lever push to lock <input type="radio"/> Brake with extension lever pull to lock			06428 01949 03372
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------------------------------------------------------------------------	-----------------------------------------





Automatic Closure footplate <input checked="" type="checkbox"/> Footplate COMPACT, automatic Closure Minimum footplate distance 35cm. <input type="checkbox"/> Internal <input type="checkbox"/> External		RAKE AND DEPTH ADJUSTABLE 	11529
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------------------------------------------------------------------------------------------------------------	-------


Mudguard <input checked="" type="checkbox"/> Carbon fibre mudguard <input type="checkbox"/> Carbon fibre Straight sideguard <input type="radio"/> Extra charge for : REMOVABLE VERSION			08921
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------------------------------------------------------------------------	-------

Armrests Tubular armrests (Swing away, removable and height adjustable armrest)			00694
Removable armrest with ABS mudguard <input type="radio"/> Desk armrests PROGEO (Removable and height adjustable) <input type="radio"/> Removable armrest with carbon-fiber straight sideguard			09956 09079

Accessories <input type="radio"/> Pad for front frame protectors <input type="radio"/> Backrest-seat connection cloth <input type="radio"/> Removable storage bag (with quick coupling)			07058 10241 09811
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------------------------------------------------------------------------------------	-------------------------

Optional 1 <input type="radio"/> Transit wheels			00836
<input type="radio"/> Anti-tipper with rapid hookup (inside rotation to reduce the encumbrance) <input type="radio"/> Right <input type="radio"/> Left			00023 00024
<input type="radio"/> Tipping aid <input type="radio"/> Right <input type="radio"/> Left			00025 01046
<input type="radio"/> Crutches support <input type="radio"/> Right <input type="radio"/> Left			00838 00837

Optional 2 <input type="radio"/> Tetraclip (Quick release axle for quadriplegic) <input type="radio"/> Safety pelvic belt <input type="radio"/> Harness			03947 03972 04103
<input type="radio"/> Push handles for companion (Removable and height adjustable) <input type="radio"/> Lumbar support (to insert in the backrest upholstery)			01048 00013
<input type="radio"/> Swing away lateral support Not available with Posture backrest PHYSIO <input type="radio"/> Right <input type="radio"/> Left			02097 02098
<input type="radio"/> Spoke guards Black (22"-24") <input type="radio"/> Spoke guards Transparent (22"-24") <input type="radio"/> Spoke guards Progeo design (22"-24") <input type="radio"/> Spoke guards Dragon (22"-24")			01043 00835 00019 02106








Additional Kit <input type="radio"/> 24" Off-road rear wheels Off-Road tyre - aluminium handrim (black colour) <input type="radio"/> 24" FAT rear wheels FAT tyre 3" - aluminium handrim (black colour)			03378 09357
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------------------------------------------------------------------------------------	----------------

Date Order User Address





PHYSIO - Posture backrest
(Std. Backrest upholstery not provided)

Removable with quick release
Suitable for tubes with diameter 18÷26mm
Depth adjustment (4cm)
Angle adjustment (±18°)

- ☐ **AIR** Carbon shell
not available for seat width 48

BACKREST HEIGHT		28		34		40			
Shell's shape 		Lateral retaining wing A=high - R=regular							
		A		R		A		R	
									
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

- ☐ **POSTURE** Aluminum shell

BACKREST HEIGHT	34	40	52
Shell's shape 	Lateral retaining wing R=regular		
	R	R	R
			

Configuration DEEP with side support PAD (height adjustable)

- ☐ Aluminum lateral with padded, breathable upholstery.



Small (h 13cm)



☐ Right
10272



☐ Left
10272

Large (h 20cm)




☐ Right
10273



☐ Left
10273

SWING AWAY - Lateral support

Fixing and adjustment hardware complete with protection sleeve
Aluminum lateral with padded, breathable upholstery.



- ☐ Large (18x12)

05647

- ☐ Small (14x9)

05643

- ☐ Lateral support extension

Quantity (number pcs).....

10271

- ☐ Lateral support extension

Quantity (number pcs).....

- ☐ Small (14x9)

05642

- ☐ Large (18x12)

05646

- ☐ Headrest adjustable - Double ball mounting system

Available only with backrest Physio Posture



- ☐ Large (34x14)
☐ Small (28x14)

05648

Date	Order	User	Address
------------	-------------	------------	---------------

1	Rear wheels	
	Model	Features
	22" Ultra-light Progeo - Standard!	(not available in anthracite color)
	24" Ultra-light Progeo - Standard!	(available for all couloers)
	24" ULTRA-LIGHT PROGEO KEY SPORT	(silver hub, black rim and 16 spokes)
	24" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	24" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white spokes) - (black hub, rim and 18 spokes)
	24" Ultra-light "Spinergy Flex rim"	(silver hub, black rim and spokes) - (integrated aluminium/rubber handrim - encumbrance reduction up to 3cm. - all tyre)
	24" Off-road	(colour: black) - (aluminium handrim - tyre Off-road)
	25" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	25" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white spokes)
	26" Progeo - Standard!	(colour: black)
	26" Ultra-light "Spinergy LX"	(silver hub, black rim and 18 spokes)

<p>Wheelchair : Progeo EGO CARBON - Rev. 2024.1</p>	<p>Prices - VAT excluded to be added to the price list</p>	<p>Send this page only if any optional have been chosen</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">☆</td> <td style="width: 60%;">standard</td> <td style="width: 30%; font-size: small;">(supplied if no requests are indicated)</td> </tr> <tr> <td style="text-align: center;">□</td> <td>on request</td> <td>(without extra charge)</td> </tr> <tr> <td style="text-align: center;">○</td> <td>optional</td> <td>(cost to be added at the basic price)</td> </tr> </table>	☆	standard	(supplied if no requests are indicated)	□	on request	(without extra charge)	○	optional	(cost to be added at the basic price)
☆	standard	(supplied if no requests are indicated)									
□	on request	(without extra charge)									
○	optional	(cost to be added at the basic price)									

Date Order User Address

12" wheel - Motor 250W (750W maximum power)
14" wheel - Motor 1000W (1500W maximum power)

Color display with switcher
Maximum speed limit settable from display
5 speed levels selectable
10 display-selectable acceleration levels
Adaptive Cruise Control

Disc and electronic brake control lever
Motor brake (adjustable in 10 levels from the display)
Electronic brake with control bottom (adjustable in 10 levels from the display)
Power regain when braking

Error messages management from display (with error history)
Rear gear beeper
48V - 5.8 Ah battery Autonomy up to 25km
48V - 11.6 Ah Power plus battery Autonomy up to 50km
Battery charger 48V

Rear gear
USB port
Easle
Mudguard
Front spoiler with predisposition for FULL LED light

(Certified software)

☐ Mototronik

10979



Handlebar

☆ STANDARD controls

☆ Thumb accelerator

☐ Grip throttle

☐ Disc and electronic brake control lever

☆ Right

12592

☐ Right

10913

☆ Right

12594

☐ Left


12593

☐ Left

10914

☐ Left

12595



☐ QUADRIPLÉGIC controls

Handlebar PUSH&PULL




10905

☆ MOTOTRONIK 12" wheel

Motor 250W (750W maximum power)


Maximum speed according to law



☐ MOTOTRONIK 14" wheel

Motor 1000W (1500W maximum power)

Maximum speed according to law



10903

Battery

☆ 48V - 5.8 Ah battery

Autonomy up to 25 km

☐ 48V - 11.6 Ah Power plus battery

Autonomy up to 50 km

10904

Date Order User Address


Accessories

- ☐ FULL LED light (high intensity)
Integrated in the spoiler




10908

- ☐ Handlebar extension
Adjustable from 15cm up to 23cm



10907

- ☐ Motor unit facilitated unlock lever
Recommended with handlebar for quadriplegic




10915

- ☐ Additional FLY 48V - 2.9 Ah battery
Autonomy up to 15km
Approved for air transport

10906

- ☐ Rearview mirror

- ☐ Right
☐ Left



10909


10909

- ☐ Basket (removable) - (with KLICKfix® attachment system)



10912

- ☐ Removable front weight - (with KLICKfix® attachment system)
(it increases the weight over the power wheel to improve traction)



10910

- ☐ Travel bag

10916

Note

Wheelchair : Progeo EGO CARBON - Rev. 2024.1

Prices - VAT excluded
to be added to the price list

Send this page only if any optional have been chosen

- ☒ standard (supplied if no requests are indicated)
☐ on request (without extra charge)
☐ optional (cost to be added at the basic price)