






Date User End user wheight (kg) Language user manual	Progeo (English) <div style="border: 1px solid black; height: 40px; margin: 5px 0;"></div> Company stamp Responsible	Rigid frame wheelchair CRASH TEST APPROVED
---	---	---

Wheelchair measures - The tolerance on all the dimensions indicated and/or required is ± 10 mm	
Seat width (LS) <input type="checkbox"/> 24 <input type="checkbox"/> 27 <input type="checkbox"/> 30 <input type="checkbox"/> 33 <input type="checkbox"/> 36 Seat depth (PS) <input type="checkbox"/> 27,5 <input type="checkbox"/> 30 <input type="checkbox"/> 32,5 <input type="checkbox"/> 35 <input type="checkbox"/> 37,5 <input type="checkbox"/> 40 Seat depth can be increased by 2,5 or 5 cm. Footplate distance (DP) min 8 - max 39,5 (cm) ± 0.5 cm - adjustment steps 1.5cm (Real distance between seat and footplate) - IMPORTANT NOTICE! From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm) Setting ☆ Standard <input type="checkbox"/> Prudential <input type="checkbox"/> Active Backrest Height (TS) Std.Value 33,5(min 29 - max 51) adjustment steps 1.5cm camber ☆ 0° <input type="checkbox"/> 2° <input type="checkbox"/> 4°	Front height (STD 45) Casters 3" (min 35 - max 51) Casters 4" (min 35 - max 52) Casters 5" (min 32 - max 52) The difference between Front Height and Footplate distance must be greater than 10cm
Rear height (STD 41) Rear wheels 22" (min 35 - max 45) Rear wheels 24" (min 37 - max 47)	

Front frame ☆ Aluminium frame - Angle 95°	
 <p>☆ Frame with abduction</p>	 <p><input type="checkbox"/> Straight frame</p>
	

Frame colour Frame colour (without extra charge) ☆ Opaque black <input type="checkbox"/> Pearl white <input type="checkbox"/> Matt orange <input type="checkbox"/> Tekno anthracite <input type="checkbox"/> Matt Midnight blue <input type="checkbox"/> Matt grey <input type="checkbox"/> Matt red	
Frame colour on request <input type="checkbox"/> Bright silver <input type="checkbox"/> Bright fuchsia <input type="checkbox"/> Bright blue china 12579 <input type="checkbox"/> Bright blue <input type="checkbox"/> Bright lime <input type="checkbox"/> Bright red	

Footplate ☆ One piece aluminium footplate - Flip-up! FLIP-UP! - rake and depth adjustable Footplate distance (min 8 - max 39,5)	
---	---

Backrest with double locking (upright and folded) (with rake adjustable from -4° to +16°) ☆ Aluminium backrest ☆ Adjustable velcro straps and padded transpiring upholstery	
---	---

Handle tube ☆ Tubes with standard handle <input type="checkbox"/> Folding handles Minimum backrest height 30,5cm Not available with: Push handles for companion	
--	---

Date	Order	User	Address
------------	-------------	------------	---------------



Fork colour ☆ Opaque black ○ Bright silver ○ Pearl white ○ Bright red ○ Tekno anthracite ○ Matt grey <div style="text-align: right;">08342</div>	Colour rear wheels To be matched only with: Rear wheels Ultra-light Progeo - Standard! (22 - 24) ☆ Black ○ Bright silver ○ Pearl white ○ Bright red ○ Tekno anthracite ○ Matt grey <div style="text-align: right;">04692</div>
--	---

Casters			
☆ 4" Soft			
<input type="checkbox"/> 3" Sport	Lightest configuration		
<input type="checkbox"/> 5" Soft			
<input type="checkbox"/> 3" Active Soft (wide)	(Aluminium alloy rim)	06824	
<input type="checkbox"/> 4" Active Sport (narrow)	(Aluminium alloy rim)	01398	
<input type="checkbox"/> 4" Active Soft (wide)	(Aluminium alloy rim)	03943	
<input type="checkbox"/> 5" Active Soft (wide)	(Aluminium alloy rim)	07518	
<input type="checkbox"/> 5" Pneumatic		10844	

Rear wheels			
☆ 24" Ultra-light Progeo - Standard!			
<input type="checkbox"/> 22" Ultra-light Progeo - Standard!			
<input type="checkbox"/> 24" ULTRA-LIGHT PROGEO KEY SPORT	Lightest configuration	04383	
<input type="checkbox"/> 24" Ultra-light "Spinergy LX"		01685	
<input type="checkbox"/> 24" Ultra-light "Spinergy LXL"	<input type="checkbox"/> Black hub and white spokes <input type="checkbox"/> Hub and spokes black	07846	
<input type="checkbox"/> 24" Ultra-light "Spinergy Flex rim"	Integrated aluminium/rubber handrim	02270	
<input type="checkbox"/> 24" Off-road (aluminium handrim black)		01392	




Rear wheel tyre			
☆ High pressure tyre	(22"-24")	Lightest configuration	
<input type="checkbox"/> High pressure profile tyre	(24")		
<input type="checkbox"/> Marathon Plus	(24")	with anti-puncture protection	01669
<input type="checkbox"/> Anti-puncture - Colour Grey	(22")		04181
<input type="checkbox"/> Anti-puncture - Colour Black	(24")		11083
Not available with Rear wheels : 24" ULTRA-LIGHT PROGEO KEY SPORT, 24" Ultra-light "Spinergy LXL"			

Handrim		Wheel distance ☆ 3 cm <input type="checkbox"/> 4 cm
☆ Aluminium	(22"-24")	Lightest configuration
<input type="checkbox"/> Aluminium black SOFT-TOUCH	(24")	09170
<input type="checkbox"/> Chromed Steel	(24")	01684
<input type="checkbox"/> Titanium	(24")	00016
<input type="checkbox"/> Ultra Grepp	(24")	00017
<input type="checkbox"/> Max Grepp	(24")	00834
<input type="checkbox"/> TOP FRICTION	(24")	11023
Oval countour with a rubber insert		
<input type="checkbox"/> NOVA H	(24")	11025
Ergonomic black profile		
<input type="checkbox"/> NOVA D	(24")	11026
Ergonomic profile with rubber coating (ideal for quadriplegics)		
<input type="checkbox"/> Quad	(24")	00693
<input type="checkbox"/> Silicon cover for standard aluminium handrim	Available for measures (22"-24")	04050

Wheel locks	
☆ Bent lever push to lock	
<input type="checkbox"/> Straight lever push to lock	
<input type="checkbox"/> Straight lever pull to lock	
<input type="checkbox"/> Brake with extension lever push to lock	01949
<input type="checkbox"/> Brake with extension lever pull to lock	03372

Date	Order	User	Address
------------	-------------	------------	---------------





Mudguard	
<input checked="" type="checkbox"/> Removable ABS mudguard <input type="checkbox"/> Removable ABS fibre straight sideguard <input type="checkbox"/> Removable carbon fibre mudguard <input type="checkbox"/> Removable Carbon fibre straight sideguard	 03946  03946

Armrests	
<input type="checkbox"/> Tubular armrests (Swing away, removable and height adjustable armrest) Height assembly (to the seat): <input type="checkbox"/> 27 <input type="checkbox"/> 28,5 <input type="checkbox"/> 30 <input type="checkbox"/> 31,5 <input type="checkbox"/> 33 <input type="checkbox"/> 34,5 <input type="checkbox"/> 36	 04828
Removable armrest with ABS mudguard	
<input type="checkbox"/> Removable armrest with ABS straight sideguard <input type="checkbox"/> Removable armrest with carbon-fiber straight sideguard	 08881  08882

SAFETY	
<input type="checkbox"/> 4 points tie-down system rings The use of a headrest during transport is mandatory (installation must be carried out by the manufacturer)	 08654

Accessories	
<input type="checkbox"/> Pad for front frame protectors	07058
<input type="checkbox"/> Backrest-seat connection cloth	10241
<input type="checkbox"/> Removable storage bag (with quick coupling)	09811

Optional 1	
<input type="checkbox"/> Anti-tipper with rapid hookup (inside rotation to reduce the encumbrance) <div style="display: flex; justify-content: flex-end;"> <input type="radio"/> Right <input type="radio"/> Left </div>	 06821  06822

Optional 2	
<input type="checkbox"/> One piece Push handle for companion (Removable and height adjustable)	 08930
<input type="checkbox"/> Push handles for companion (Removable and height adjustable)	 03645
<input type="checkbox"/> Tetraclip (Quick release axle for quadriplegic)	03947
<input type="checkbox"/> Safety pelvic belt <input type="checkbox"/> Harness	03972 04103
<input type="checkbox"/> Lumbar support (to insert in the backrest upholstery)	00013
<input type="checkbox"/> Swing away lateral support Not available with: Posture backrest PHYSIO - Posture backrest A I R <div style="display: flex; justify-content: flex-end;"> <input type="radio"/> Right <input type="radio"/> Left </div>	 02097  02098
<input type="checkbox"/> Spoke guards Black (22"-24") <input type="checkbox"/> Spoke guards Transparent (22"-24") <input type="checkbox"/> Spoke guards Progeo design (22"-24") <input type="checkbox"/> Spoke guards Dragon (22"-24")	01043 00835 00019 02106

Additional Kit	
<input type="checkbox"/> 24" Off-road rear wheels Off-Road tyre - aluminium handrim (black colour)	03378
<input type="checkbox"/> 24" FAT rear wheels FAT tyre 3" - aluminium handrim (black colour)	09357

Date Order User Address

PHYSIO - Std. Backrest upholstery not provided





Removable with quick release
Suitable for tubes with diameter 18÷26mm
Depth adjustment (4cm)
Angle adjustment ($\pm 18^\circ$)

Posture backrest KID JUNIOR VERSION

- ☐ **KID** Aluminum shell

WARNING: with this backrest the seat depth is reduced by 5 cm approx.








not available for seat width 24

BACKREST HEIGHT	29	34	40
Shell's shape	Lateral retaining wing R=regular		
	R	R	R
3,5 cm 	<input type="checkbox"/> 	<input type="checkbox"/> 	<input type="checkbox"/> 

Posture backrest ADULT VERSION





- ☐ **AIR** Carbon shell

not available for seat width 27 - 30

BACKREST HEIGHT		28	34	40			
Shell's shape		Lateral retaining wing A=high - R=regular					
7,5 cm		A	R	A	R	A	R
							

- ☐ **POSTURE** Aluminum shell

not available for seat width 27 - 30

BACKREST HEIGHT	34	40	52
Shell's shape	Lateral retaining wing R=regular		
	R	R	R
7,5 cm 	<input type="checkbox"/> 	<input type="checkbox"/> 	<input type="checkbox"/> 

Configuration DEEP with side support PAD (height adjustable)

- ☐ Alluminum lateral with padded, breathable upholstery.



Small (h 13cm)



☐ Right
10272



☐ Left
10272

Large (h 20cm)



☐ Right
10273



☐ Left
10273


Date Order User Address

Accessories

KID AIR POSTURE

○ SWING AWAY - Lateral support

Not available for backrest Physio AIR carbon shell
Fixing and adjustment hardware complete with protection sleeve
Alluminum lateral with padded, breathable upholstery.



○ Large (18x12)

05647

○ Small (14x9)

05643

○ Lateral support extension

Quantity (number pcs).....

10271

○ Lateral support extension

Quantity (number pcs).....

○ Small (14x9)

05642

○ Large (18x12)

05646

○ Headrest adjustable - Double ball mounting system Available only with backrest Physio Posture and Kid

- ☐ Large (34x14)
☐ Small (28x14)



05648